This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1 Claims 1-14 (canceled).
- 1 Claim 15 (new) A color image display system comprising:
- a plurality of partial color image display means for
- 3 displaying partial color images to be synthetically
- 4 displayed as a color image of one frame, on the basis of
- 5 partial color image data; and
- 6 image data conversion means for converting input color
- 7 image data into said partial color image data on the basis
- 8 of color reproduction characteristics of said plurality of
- 9 partial color image display means.
- 1 Claim 16 (new) A system according to claim 1, wherein
- 2 color reproduction characteristics of the plurality of
- 3 partial color image display means comprise tone-curve
- 4 characteristic data and a color conversion matrix of each
- 5 partial color image display means.
- 1 Claim 17 (new) A color image display system comprising:
- a plurality of partial color image display means for
- 3 displaying partial color images to be synthetically
- 4 displayed as a color image of one frame, on the basis of
- 5 partial color image data; and
- 6 image data conversion means for converting input color
- 7 image data into said partial color image data so as to
- 8 display the partial color images to be synthetically
- 9 displayed as a color image of one frame superimposed on a
- 10 predetermined set bias on the basis of color reproduction

- 11 characteristics of said plurality of partial color image
- 12 display means.
 - 1 Claim 18 (new) A system according to claim 3, wherein the
 - 2 color reproduction characteristics of the plurality of
 - 3 partial color image display means are bias data provided
 - 4 according to a position in an image.
 - 1 Claim 19 (new) A system according to claim 3, wherein the
 - 2 set bias is a maximum value in a synthetic image of a
 - 3 physical bias of the plurality of partial color image
 - 4 display means.
 - 1 Claim 20 (new) A system according to claim 3, wherein the
 - 2 set bias becomes smaller towards the periphery of the
 - 3 synthetically displayed image, from the center.
 - 1 Claim 21 (new) A system according to claim 3, wherein the
 - 2 set bias is set on the basis of the relation between an
 - 3 input color image data and the synthetic image of a
 - 4 physical bias of the plurality of partial color image
 - 5 display means.
 - 1 Claim 22 (new) A color image display system comprising:
 - a plurality of partial color image display means for
 - 3 displaying partial color images to be synthetically
 - 4 displayed as a color image of one frame, on the basis of
 - 5 partial color image data; and
 - 6 image data conversion means for converting input color
 - 7 image data into said partial color images so as to display,
 - 8 at a predetermined ratio set according to the position in
 - 9 an overlap region, the partial color image contained in the

- 10 overlap region between the partial color images displayed
- 11 by said partial color image display means on the basis of
- 12 color reproduction characteristics of said plurality of
- 13 partial color image display means.
 - 1 Claim 23 (new) A color image display system comprising:
 - a plurality of partial color image display means for
 - 3 displaying partial color images to be synthetically
 - 4 displayed as a color image of one frame, on the basis of
 - 5 partial color image data; and
 - 6 image data conversion means for converting input color
 - 7 image data into said partial color image data so as to
 - 8 correct nonuniformities in the color images synthetically
 - 9 displayed by said partial color image display means on the
- 10 basis of color reproduction characteristics of said
- 11 plurality of partial color image display means.
 - 1 Claim 24 (new) A color image display system comprising:
 - 2 a plurality of partial color image display means for
 - 3 displaying partial color images to be synthetically
 - 4 displayed as a color image of one frame, on the basis of
 - 5 partial color image data; and
 - 6 image data conversion means for converting input color
 - 7 image data into the partial color image data on the basis
 - 8 of color reproduction characteristics of said plurality of
 - 9 partial color image display means,
- 10 wherein said partial color image display means display
- 11 the partial color images in an overlap region between the
- 12 partial color images displayed by said partial color image
- 13 display means with display luminance lower physically than
- 14 in a remaining region.

- 1 Claim 25 (new) A color image display system, comprising:
- a plurality of partial color image display means for
- 3 displaying partial color images to be synthetically
- 4 displayed as a color image of one frame, on the basis of
- 5 partial color image data; and
- 6 image data conversion means for converting input color
- 7 image data into the partial color image data on the basis
- 8 of characteristics of the plurality of partial color image
- 9 display means,
- wherein the image data conversion means for the input
- 11 color image data comprises:
- 12 color correction means for correcting a
- 13 color;
- 14 geometric correction means for
- 15 correcting geometric;
- 16 bias correction means for correcting a
- 17 bias;
- 18 nonuniformity correction means for
- 19 correcting nonuniformity; and
- 20 tone-curve correction means for
- 21 correcting a tone-curve.
 - 1 Claim 26 (new) A system according to claim 1, wherein the
 - 2 plurality of partial color image display means is a
 - 3 multi-primary-color display means displaying each pixel
 - 4 with at least four primary colors.
 - 1 Claim 27 (new) A system according to claim 3, wherein the
 - 2 plurality of partial color image display means is a
 - 3 multi-primary-color display means displaying each pixel
 - 4 with at least four primary colors.

- 1 Claim 28 (new) A system according to claim 8, wherein the
- 2 plurality of partial color image display means is a
- 3 multi-primary-color display means displaying each pixel
- 4 with at least four primary colors.
- 1 Claim 29 (new) A system according to claim 9, wherein the
- 2 plurality of partial color image display means is a
- 3 multi-primary-color display means displaying each pixel
- 4 with at least four primary colors.
- 1 Claim 30 (new) A system according to claim 10, wherein the
- 2 plurality of partial color image display means is a
- 3 multi-primary-color display means displaying each pixel
- 4 with at least four primary colors.
- 1 Claim 31 (new) A system according to claim 11, wherein the
- 2 plurality of partial color image display means is a
- 3 multi-primary-color display means displaying each pixel
- 4 with at least four primary colors.--